

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 29.01.2013
Product: **FENDONA® 15 SC INSECTICIDE**

Version: 2.0

(30503443/SDS_GEN_AU/EN)

Date of print 31.01.2013

1. Substance/preparation and company identification

FENDONA® 15 SC INSECTICIDE

Use: biocide

Company:

BASF Australia Limited (ABN 62 008 437 867)
Level 12, 28 Freshwater Place Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

DANGEROUS GOOD, NON-HAZARDOUS SUBSTANCE

The product contains: alpha-Cypermethrin
May cause paraesthesia.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Keep locked-up and out of reach of children.
Keep away from food, drink and animal feeding stuffs.
When using do not eat, drink or smoke.
Avoid contact with skin.
This material and its container must be disposed of in a safe way.

3. Composition/information on ingredients

Chemical nature

biocide, insecticide, suspension concentrate (SC)

Hazardous ingredients

| Alpha-Cypermethrin

Content (W/W): 1.5 %
| CAS Number: 67375-30-8

| propane-1,2-diol

Content (W/W): < 15 %
| CAS Number: 57-55-6

The wording of the hazard symbols and R-phrases is specified in section 16 if dangerous ingredients are mentioned.

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

| Keep patient calm, remove to fresh air.

On skin contact:

| Wash thoroughly with soap and water.

On contact with eyes:

| Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink plenty of water.

Note to physician:

| Symptoms: numbness and tingling of hands and feet, convulsions

| Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Specific hazards:

| carbon monoxide, hydrogen chloride, hydrogen cyanide, carbon dioxide, nitrogen oxides,
| organochloric compounds

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Incinerate or take to a special waste disposal site in accordance with local authority regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Protect against moisture.

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

propane-1,2-diol, 57-55-6;
TWA value 474 mg/m³ ; 150 ppm (OEL (AU)), Total vapour and particulates
TWA value 10 mg/m³ (OEL (AU)), Particulate

Personal protective equipment

Respiratory protection:
Respiratory protection not required.

Hand protection:
Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact
(Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other

Eye protection:
Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:
Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:
Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid contact with the skin, eyes and clothing. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	suspension
Colour:	white
Odour:	odourless
pH value:	approx. 6 - 8 (10 g/l, 20 °C)
Freezing point:	-5.9 °C
onset of boiling:	approx. 100 °C (1,013 hPa)
Flammability:	not flammable
Lower explosion limit:	not determined
Upper explosion limit:	not determined

BASF Safety data sheet
Date / Revised: 29.01.2013
Product: **FENDONA® 15 SC INSECTICIDE**

Version: 2.0

(30503443/SDS_GEN_AU/EN)

Date of print 31.01.2013

Ignition temperature:	425 °C The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	
Explosion hazard:	not explosive	
Fire promoting properties:	not fire-propagating	
Vapour pressure:	approx. 23.4 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.00 - 1.05 g/cm ³ (20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not determined	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Viscosity, dynamic:	21 mPa.s (40 °C, 100 1/s)	(OECD 114)
Viscosity, kinematic:	20.6 mm ² /s (40 °C)	

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: not determined

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Corrosion to metals: mild steel
tin

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

LD50 rat (oral): > 2,000 mg/kg

LC50 rat (by inhalation): > 2.06 mg/l 4 h
No mortality was observed.

LD50 rat (dermal): > 2,000 mg/kg

Irritation**Assessment of irritating effects:**

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Not irritating to the eyes. Not irritating to the skin.

Primary irritations of the mucous membrane rabbit: non-irritant

Sensitization**Assessment of sensitization:**

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. There is no evidence of a skin-sensitizing potential.

modified Buehler test guinea pig: Skin sensitizing effects were not observed in animal studies.

Repeated dose toxicity**Assessment of repeated dose toxicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Alpha-Cypermethrin

Assessment of repeated dose toxicity:

Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Genetic toxicity**Assessment of mutagenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity**Assessment of carcinogenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity**Assessment of teratogenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other relevant toxicity information

Misuse can be harmful to health. May cause paraesthesia.

The product contains: alpha-Cypermethrin
 May cause paraesthesia.

12. Ecological Information**Ecotoxicity****Assessment of aquatic toxicity:**

Very toxic to aquatic organisms.

Information on: Alpha-Cypermethrin

Toxicity to fish:

LC50 (96 h) 0.93 µg/l, Pimephales promelas (OPP 72-1 (EPA-Guideline), Flow through.)

Information on: Alpha-Cypermethrin

Aquatic invertebrates:

EC50 (48 h) 12,6 ng/L, Chironomus riparius (OECD Guideline 202, part 1, static)

Information on: Alpha-Cypermethrin

Aquatic plants:

EC50 (72 h) > 1 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static)

No observed effect concentration (7 d) >= 1,39 µg/L (growth rate), Lemna gibba (OECD guideline 221, static)

Information on: Alpha-Cypermethrin

Chronic toxicity to fish:

No observed effect concentration (34 d) 0,03 µg/L, Pimephales promelas (OPP 72-4 (EPA-Guideline), Flow through.)

Information on: Alpha-Cypermethrin

Chronic toxicity to aquatic invertebrates:

| No observed effect concentration (28 d), 0,024 µg/L, Chironomus riparius (OECD 219, static)

| No observed effect concentration (21 d), 0,03 µg/L, Daphnia magna (OPP 72-4 (EPA-Guideline), semistatic)

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: Alpha-Cypermethrin

Assessment transport between environmental compartments:

| Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: Alpha-Cypermethrin

Assessment biodegradation and elimination (H₂O):

| Not readily biodegradable (by OECD criteria). Poorly biodegradable.

Bioaccumulation potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: Alpha-Cypermethrin

Bioaccumulation potential:

| Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)
| Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

BASF Safety data sheet
Date / Revised: 29.01.2013
Product: **FENDONA® 15 SC INSECTICIDE**

Version: 2.0

(30503443/SDS_GEN_AU/EN)

Date of print 31.01.2013

14. Transport Information

Domestic transport:

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains ALPHA-CYPERMETHRIN)

Further information

Hazchem Code:3Z
IERG Number:47

Sea transport

IMDG

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Marine pollutant: YES
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains ALPHA-CYPERMETHRIN)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains ALPHA-CYPERMETHRIN)

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 Kg or 500 L.

15. Regulatory Information

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) (Australia):

Poisons Schedule: Drugs & Poisons, Schedule 5

R-phrase(s) R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrase(s) S1/2	Keep locked-up and out of reach of children.
S13	Keep away from food, drink and animal feeding stuffs.
S20/21	When using do not eat, drink or smoke.
S24	Avoid contact with skin.
S35	This material and its container must be disposed of in a safe way.

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Registration status:

AICS, AU released / exempt
APVMA 40496

16. Other Information

Full text of hazard symbols and R-phrases if mentioned as hazardous components in section 3:

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.