



According to Safe Work Australia

Printing date 15.05.2013 Revision: 15.05.2013

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: RUDCHEM PYMATIC AEROSOL

Other Name: Pymatic metered aerosol, Coopermatic, Time Mist Recommended Use of the Chemical and Restriction on Use:

Metered insecticide to suit 'Syncromist' and 'Coopermatic' insecticide dispensers

Details of Manufacturer or Importer:

C.Rudduck Pty Ltd 2/247 Ingles Street Port Melbourne VIC 3207

Phone Number: 03 9676 4444


Emergency telephone number: 0418 355 009

2. HAZARDS IDENTIFICATION

Hazardous Nature:



Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: may burst if heated.



Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Label Elements

Signal Word Danger

Hazard Statements

H222-H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.
P211 Do not spray on an open flame or other ignition source.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 Do NOT induce vomiting.

P405 Store locked up.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

Dispose of contents/container in accordance with local/regional/national regulations.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)





According to Safe Work Australia

Printing date 15.05.2013 Revision: 15.05.2013

Product Name: RUDCHEM PYMATIC AEROSOL

(Contd. of page 1)

Hazardous	Hazardous Components:		
	Petroleum gases, liquefied	30-60%	
	♦ Flam. Gas 1, H220; Flam. Liq. 1, H224; Press. Gas, H280		
64742-48-9	Naphtha (petroleum), hydrotreated heavy	10-30%	
	🕸 Asp. Tox. 1, H304; H227		
51-03-6	2-(2-butoxyethoxy)ethyl 6-propylpiperonylether	1-9%	
	Acute Tox. 3, H331; 🅸 Aquatic Chronic 2, H411; Acute Tox. 5, H313		
8003-34-7	Pyrethrins and Pyrethroids	1-3%	
	♦ Acute Tox. 3, H301; Acute Tox. 3, H311; ♦ Acute Tox. 4, H332		

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Carbon dioxide, dry chemical and foam.

Specific Hazards Arising from the Chemical

Closed containers may explode when exposed to extreme heat. Use water sprays to cool fire exposed containers.

Special Protective Equipment and Precautions for Fire Fighters

Wear Safe Work Australia approved self-contained breathing apparatus and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear Safe Work Australia approved self-contained breathing apparatus and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Shut off all possible sources of ignition and increase ventilation. If safe, damaged cans should be placed in a container outdoors, away from all ignition sources, until pressure has dissipated.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a container outdoors, away from ignition sources, until pressure has dissipated. Ensure adequate ventilation.

(Contd. on page 3)



Page 3/6

According to Safe Work Australia

Product Name: RUDCHEM PYMATIC AEROSOL

(Contd. of page 2)

Revision: 15.05.2013

7. HANDLING AND STORAGE

Printing date 15.05.2013

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use in a well-ventilated area. DO NOT incinerate or puncture aerosol cans.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Protect from heat, sparks, open flames and hot surfaces. DO NOT incinerate or puncture aerosol cans. Avoid physical damage to containers. Check regularly for spills and leaks. Store at temperatures below 40 °C. Keep away from strong oxidising agents.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards	(Safe Work Australia):
--------------------	------------------------

68476-85-7 Petroleum gases, liquefied

NES 1800 mg/m³, 1000 ppm

8003-34-7 Pyrethrins and Pyrethroids

NES 5 mg/m³

Engineering Contols:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Personal Protective Equipment (PPE):

Respiratory Protection:

Respiratory protection is not necessary if the ventilation is adequate. Avoid working in and breathing spray mist.

Skin Protection:

Impermeable gloves and protective clothing. See Australian Standards AS/NZS 2161, 2210.1 and 2210.2 for more information.

Eve and Face Protection:

Safety glasses with top and side shields or goggles. See Australian Standards AS/NZS 1336 and 1337 for more information.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: Aerosol Colour: Clear

Odour: Spearmint odour

Initial Boiling Point/Boiling Range: No information available
Flash Point: Not applicable, as aerosol.
Flammability: Extremely flammable aerosol
Auto-ignition Temperature: No information available
Decomposition Temperature: No information available

Explosion Limits:

Lower: No information available Upper: No information available

Vapour Pressure: 50-60 psi





According to Safe Work Australia

Printing date 15.05.2013 Revision: 15.05.2013

Product Name: RUDCHEM PYMATIC AEROSOL

(Contd. of page 3)

Relative Density:Vapour Density:
No information available
No information available

Solubility in Water: Immiscible VOC: 98 %

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames and hot surfaces.

Incompatible Materials: Strong oxidising agents

Hazardous Decomposition Products: No information available

11. TOXICOLOGICAL INFORMATION

Toxicity:

LD ₅₀ /LC ₅₀	LD ₅₀ /LC ₅₀ Values Relevant for Classification:					
64742-48-9 Naphtha (petroleum), hydrotreated heavy						
Oral	LD ₅₀	>5000 mg/kg (rat)				
Dermal	LD ₅₀	>3000 mg/kg (rab)				
51-03-6 2-(2-butoxyethoxy)ethyl 6-propylpiperonylether						
Oral	LD ₅₀	7181 mg/kg (rat)				
Dermal	LD ₅₀	>2000 mg/kg (rabbit)				
Inhalation	LC ₅₀ /4 h	>5.9 mg/l (rat)				
8003-34-7	8003-34-7 Pyrethrins and Pyrethroids					
Oral	LD ₅₀	200 mg/kg mg/kg (rat)				
Dermal	LD ₅₀	300 mg/kg mg/kg (rabbit)				

Acute Health Effects

Inhalation:

May cause respiratory irritation, dizziness or headache. Intentional misuse by deliberately inhaling content can be fatal.

Skin: May cause skin irritation and defatting.

Eye: May cause eye irritation.

Ingestion: May cause nausea, abdominal irritation, vomiting and pain.

Skin Corrosion / Irritation: Not expected to be a hazard.

Serious Eye Damage / Irritation: Not expected to be a hazard.

Respiratory or Skin Sensitisation: No sensitising effects known.

Germ Cell Mutagenicity: No information available

Carcinogenicity:

Piperonyl butoxide is classified by IARC as a Group 3 - Not classifiable as to its carcinogenicity to humans.

Reproductive Toxicity: No information available

Specific Target Organ Toxicity (STOT) - Single Exposure: Not expected to be a hazard.

Specific Target Organ Toxicity (STOT) - Repeated Exposure: Not expected to be a hazard.

Aspiration Hazard: May be fatal if swallowed and enters airways.

(Contd. on page 5)



According to Safe Work Australia

Printing date 15.05.2013 Revision: 15.05.2013

Product Name: RUDCHEM PYMATIC AEROSOL

(Contd. of page 4)

Page 5/6

Chronic Health Effects: Prolonged or repeated exposure may cause dizziness and headache.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Aquatic toxicity:

Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Persistence and Degradability: No further relevant information available.

Bioaccumulative Potential: No further relevant information available.

Mobility in Soil: No further relevant information available.

13. DISPOSAL CONSIDERATIONS

Disposal Methods and Containers:

Dispose according to applicable local and state government regulations.

DO NOT incinerate or puncture aerosol cans.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14. TRANSPORT INFORMATION

UN Number

ADG, IMDG, IATA 1950

Proper Shipping Name AEROSOLS

Dangerous Goods Class

ADG Class: 2 5F Gases.

IMDG Class: 2.1

Packing Group: Not applicable

EMS Number: F-D,S-U **Hazchem Code:** 2YE

Special Provisions: 63, 190, 277, 327

Limited Quantities: See SP 277

Packagings & IBCs - Packing Instruction: P003, LP02

Packagings & IBCs - Special Packing Provisions: PP17, PP87, L2

15. REGULATORY INFORMATION

Australian Inventory of Chemical Substances:		
68476-85-7	Petroleum gases, liquefied	
64742-48-9	Naphtha (petroleum), hydrotreated heavy	
51-03-6	2-(2-butoxyethoxy)ethyl 6-propylpiperonylether	
8003-34-7	Pyrethrins and Pyrethroids	

16. OTHER INFORMATION

Creation Date: 15.05.2013





According to Safe Work Australia

Printing date 15.05.2013 Revision: 15.05.2013

Product Name: RUDCHEM PYMATIC AEROSOL

(Contd. of page 5)

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

VOC: Volatile Organic Compounds LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

Disclaimer

This MSDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. C.Rudduck Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.