

Safety data sheet

Page: 1/10

BASF Safety data sheet
Date / Revised: 23.05.2013
Product: **SOREXA® GEL PRO**

Version: 2.0

(30471441/SDS_GEN_AU/EN)

Date of print 25.05.2013

1. Substance/preparation and company identification

SOREXA® GEL PRO

Use: rodenticide, biocide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)
Level 12, 28 Freshwater Place Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

NON-HAZARDOUS SUBSTANCE, NON-DANGEROUS GOODS

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition/information on ingredients

Chemical nature

Biocidal product, rodenticide

Contains:

difenacoum (Content (W/W): 0.005 %)	CAS Number: 56073-07-5
	EC-Number: 259-978-4
	INDEX-Number: 607-157-00-X

Hazardous ingredients

Rape oil

Content (W/W): < 50 %
CAS Number: 8002-13-9

sucrose

Content (W/W): < 5 %
CAS Number: 57-50-1

2,2',2"-nitrilotriethanol

Content (W/W): < 2.5 %
CAS Number: 102-71-6

The wording of the hazard symbols and R-phrases is specified in section 16 if dangerous ingredients are mentioned.

4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink plenty of water.

Note to physician:

Symptoms: coagulation disorders

Increased tendency to bleed.

In severe cases, massive bleeding from internal organs may result in circulatory shock, which could prove fatal.

The onset of symptoms is delayed for up to 4 days after uptake.

Hazards: The substance / product is an anticoagulant rodenticide with a coumarin-type mode of action.

Treatment: Symptomatic treatment (decontamination, vital functions).

Antidote: Vitamin K1 preparation as antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Specific hazards:
carbon monoxide, carbon dioxide, nitrogen oxides
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Avoid dust formation.

Environmental precautions:
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Contain with dust binding material and dispose of.
For large amounts: Sweep/shovel up.
Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

(30471441/SDS_GEN_AU/EN)

Date of print 25.05.2013

Do not apply in the open – cover bait points or use bait boxes. If dead and/or dying rats or mice are found during and after the control program, these must be cleared away immediately in order to avoid secondary poisoning phenomena.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds. Odour-sensitive: Segregate from products releasing odours. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

8. Exposure controls and personal protection

Components with occupational exposure limits

sucrose, 57-50-1;

TWA value 10 mg/m³ (OEL (AU)), Inhalable dust

2,2',2"-nitrioltriethanol, 102-71-6;

TWA value 5 mg/m³ (OEL (AU))

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Protective gloves (EN 374) are required for the safe handling of this product and are also recommended for protection against rodent-borne diseases.

e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other
Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Required when there is a risk of eye contact., Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	paste, semi-solid
Colour:	green
Odour:	odourless
pH value:	insoluble, The product has not been tested.
Melting point:	approx. -5 °C Information applies to the solvent.
Boiling point:	> 350 °C Information applies to the solvent.
Flash point:	> 300 °C Information applies to the solvent.
Flammability:	not highly flammable
Lower explosion limit:	For solids not relevant for classification and labelling.
Upper explosion limit:	For solids not relevant for classification and labelling.
Self ignition:	not self-igniting Information based on the main components.
Explosion hazard:	Based on the chemical structure there is no indicating of explosive properties.
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.
Vapour pressure:	approx. > 1 mbar (20 °C) Information applies to the solvent.
Density:	approx. 1.10 g/cm ³ (20 °C)
Relative vapour density (air):	not determined
Solubility in water:	insoluble
Information on: Difenacoum	
Partitioning coefficient n-octanol/water (log Pow):	7.6 (20 °C)

Viscosity, dynamic:	not applicable

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: not determined

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from the properties of the individual components.

LD50 rat (oral): 36,000 mg/kg

LC50 rat (by inhalation): 72.92 - 116.96 mg/l 4 h

LD50 rat (dermal): 1,260,000 mg/kg

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from the properties of the individual components.

Primary skin irritation rabbit: non-irritant

Primary irritations of the mucous membrane rabbit: non-irritant

Sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

guinea pig: Skin sensitizing effects were not observed in animal studies.

Repeated dose toxicity

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: Difenacoum

Assessment of repeated dose toxicity:

Repeated exposure to small quantities may affect certain organs. Damages the coagulation system.

Genetic toxicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: Difenacoum

Toxicity to fish:

| LC50 (96 h) 0.064 mg/l, *Oncorhynchus mykiss* (Directive 92/69/EEC, C.1)

| Information on: Difenacoum
| Aquatic invertebrates:
EC50 (48 h) 0.52 mg/l, Daphnia magna (Directive 92/69/EEC, C.2)

| Information on: Difenacoum
| Aquatic plants:
| No observed effect concentration (72 h) 0.25 mg/l (growth rate), Pseudokirchneriella subcapitata
(Guideline 92/69/EEC, C.3)

Assessment of terrestrial toxicity:
Hazardous to birds and mammals.

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: Difenacoum
| Assessment transport between environmental compartments:
| Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of
groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):
The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: Difenacoum
| Assessment biodegradation and elimination (H₂O):
Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:
The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: Difenacoum
| Bioaccumulation potential:
| Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is
possible.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) (Australia):

Poisons Schedule: Drugs & Poisons, Schedule 6

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Registration status:

AICS, AU
APVMA No. 61848

released / exempt

16. Other Information

BASF Safety data sheet
Date / Revised: 23.05.2013
Product: **SOREXA® GEL PRO**

Version: 2.0

(30471441/SDS_GEN_AU/EN)

Date of print 25.05.2013

Full text of hazard symbols and R-phrases if mentioned as hazardous components in section 3:

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.